ESTUARINE AND COASTAL MARINE SCIENCE

Volume 4
1976

ACADEMIC PRESS
London and New York

Published by Academic Press Inc. (London) Ltd in association with the Estuarine and Brackish Water Sciences Association

Copyright © 1976, by Academic Press Inc. (London) Ltd.

ALL RIGHTS RESERVED

No part of this volume may be reproduced in any form, by photostat, microfilm, or any other means, without written permission from the publishers.

Printed in Great Britain

Contents of Volume 4

Number 1, January 1976

Page

Hartnoll, R. G., The ecology of some rocky shores in tropical East Africa . . 1

Caston, V. N. D., A wind-driven near-bottom current in the southern North Sea . 23

Collins, B. P., Suspended material transport: Narragansett Bay area, Rhode Island 33

Collins, M. B., Suspended-sediment sampling towers as used on the intertidal flats of the Wash, eastern England 45

Patrick, W. H. Jr and Delaune, R. D., Nitrogen and phosphorus utilization by *Spartina alterniflora* in a salt marsh in Barataria Bay, Louisiana . . . 59

Prentice, S. A. and Kain, J. M., Numerical analysis of subtidal communities on rocky shores 65

Simpson, J. H., A boundary front in the summer regime of the Celtic Sea . . 71

Rochanaburanon, T. and Williamson, D. I., Laboratory survival of larvae of *Palaemon elegans* Rathke and other Caridean shrimps in relation to their distribution and ecology 83

Boehm, P. D. and Quinn, J. G., The effect of dissolved organic matter in seawater on the uptake of mixed individual hydrocarbons and Number 2 fuel oil by a marine filter-feeding bivalve (*Mercenaria mercenaria*) 93

Notes and Discussions

Jones, L. H., Jones, N. V. and Radlett, A. J., Some effects of salinity on the toxicity of copper to the polychaete *Nereis diversicolor* 107

Book Review 113

Number 2, March 1976

Page

Buller, A. T. and Green, C. D., The role of organic detritus in the formation of distinctive sandy tidal flat sedimentary structures, Tay estuary, Scotland . . 115

Saila, S. B., Pikanowski, R. A. and Vaughan, D. S., Optimum allocation strategies for sampling benthos in the New York Bight 119

Reeburgh, W. S., Muench, R. D. and Cooney, R. T., Oceanographic conditions during 1973 in Russell Fjord, Alaska 129

Eppley, R. W., Renger, E. H. and Williams, P. M., Chlorine reactions with seawater constituents and the inhibition of photosynthesis of natural marine phytoplankton 147

Maurer, D., Kinner, P., Leathem, W. and Watling, L., Benthic faunal assemblages off the Delmarva Peninsula 163

Chardy, P., Glemarec, M. and Laurec, A., Application of inertia methods to benthic marine ecology: practical implications of the basic options 179

Schumacher, J. D. and Korgen, B. J., A seabed drifter study of near-bottom circulation in North Carolina shelf waters 207

Moore, J. W., The proximate and fatty acid composition of some estuarine crustaceans 215

Notes and Discussions

de Bhaldraithe, P., Larvae of the Dublin Bay prawn, *Nephrops norvegicus* (L.) in Galway Bay, Ireland 225

Hruby, T., Observations of algal zonation resulting from competition . . 231

Number 3, May 1976

Page

Burrell, V. G. Jr and Van Engel, W. A., Predation by and distribution of a ctenophore, *Mnemiopsis leidyi* A. Agassiz, in the York River Estuary . . . 235

Dame, R. F., Energy flow in an intertidal oyster population 243

Whitfield, P. H. and Lewis, A. G., Control of the biological availability of trace metals to a calanoid copepod in a coastal fjord 255

Roberts, W. P. and Pierce, J. W., Deposition in upper Patuxent Estuary, Maryland, 1968–1969 267

Garside, C., Malone, T. C., Roels, O. A. and Sharfstein, B. A., An evaluation of sewage-derived nutrients and their influence on the Hudson Estuary and New York Bight 281

Rao, T. V. and Rao, M. S., Recent foraminifera of Chipurupalle stream, east coast of India 291

Festa, J. F. and Hansen, D. V., A two-dimensional numerical model of estuarine circulation: the effects of altering depth and river discharge 309

HESS, K. W., A three-dimensional numerical model of the estuary circulation and salinity in Narragansett Bay 325

CHRISTENSEN, J. P. and PACKARD, T. T., Oxygen utilization and plankton metabolism in a Washington fjord 339

NOTES AND DISCUSSIONS

HOLLIDAY, L. M. and LISS, P. S., The behaviour of dissolved iron, manganese and zinc in the Beaulieu Estuary, S. England 349

BOOK REVIEW 355

NUMBER 4, JULY 1976

Page

CAMMEN, L. M., Macroinvertebrate colonization of *Spartina* marshes artificially established on dredge spoil 357

LIVINGSTON, R. J., Diurnal and seasonal fluctuations of organisms in a north Florida estuary 373

D'ANGLEJAN, B. and INGRAM, R. G., Time–depth variations in tidal flux of suspended matter in the Saint Lawrence estuary 401

THOMPSON, S. and EGLINTON, G., The presence of pollutant hydrocarbons in estuarine epipelic diatom populations 417

HINCHCLIFFE, P. R., Surf-zone water quality in Liverpool Bay 427

WILSON, R. E., Gravitational circulation in Long Island Sound 443

NOTES AND DISCUSSIONS

FRANKENBERG, D., Oxygen in a tidal river: low tide concentration correlates linearly with location 455

WEIS, J. S. and MANTEL, L. H., DDT as an accelerator of limb regeneration and molting in Fiddler Crabs 461

GALLAGHER, J. L., PFEIFFER, W. J. and POMEROY, L. R., Leaching and microbial utilization of dissolved organic carbon from leaves of *Spartina alterniflora* . 467

STEEVER, E. Z., WARREN, R. S. and NIERING, W. A., Tidal energy subsidy and standing crop production of *Spartina alterniflora* 473

BOOK REVIEW 479

Number 5, September 1976

Page

Youngbluth, M. J. Zooplankton populations in a polluted, tropical embayment . 481

Barnes, R. S. K., Sattelle, D. B., Everton, I. J., Nicholas, W. and Scott, D. H., Intertidal sands and interstitial fauna associated with different stages of salt-marsh development 497

Paskausky, D. F. and Murphy, D. L., Seasonal variation of residual drift in Long Island Sound 513

Bokuniewicz, H. J., Gebert, J. and Gordon, G. B., Sediment mass balance of a large estuary, Long Island Sound 523

Little, C. and Nix, W., The burrowing and floating behaviour of the gastropod *Hydrobia ulvae* 537

Little, C. and Boyden, C. R., Variations in the fauna of particulate shores in the Severn Estuary 545

Chatwin, P. C., Some remarks on the maintenance of the salinity distribution in estuaries 555

Driver, P. A., Prediction of fluctuations in the landings of brown shrimp (*Crangon crangon*) in the Lancashire and Western Sea Fisheries District . . . 567

Notes and Discussion

Head, A., Primary production in an estuarine environment: a comparison of *in situ* and simulated *in situ* ^{14}C techniques 575

Windom, H., Gardner, W., Stephens, J. and Taylor, F., The role of methyl-mercury production in the transfer of mercury in a salt-marsh ecosystem . 579

Milanovich, F. P., Spies, R., Guram, N. S. and Sykes, E. E., Uptake of copper by the polychaete *Cirriformia spirabrancha* in the presence of dissolved yellow organic matter of natural origin 585

Number 6, November 1976

Page

Moore, E. and Sander, F., Quantitative and qualitative aspects of the zooplankton and breeding patterns of copepods at two Caribbean coral reef stations . . 589

Haines, E. B., Stable carbon isotope ratios in the biota, soils and tidal water of a Georgia salt marsh 609

SAVIDGE, G., A preliminary study of the distribution of chlorophyll *a* in the vicinity of fronts in the Celtic and western Irish Seas 617

KREMER, P. and NIXON, S., Distribution and abundance of the ctenophore, *Mnemiopsis leidyi* in Narragansett Bay 627

VINCENT, C. E. and SMITH, D. J., Measurements of waves in Southampton Water and their variation with the velocity of the tidal current 641

GRAY, J. S., The fauna of the polluted river Tees estuary 653

ATKINSON, L. P. and HALL, J. R., Methane distribution and production in the Georgia salt marsh 677

NOTES AND DISCUSSIONS

CHRISTIE, N. D., The efficiency and effectiveness of a diver-operated suction sampler on a homogeneous macrofauna 687

CRANSTON, R. E., Accumulation and distribution of total mercury in estuarine sediments 695

Index to Volume 4

Accumulation and distribution of total mercury in estuarine sediments, 695
Algal zonation, observations of, resulting from competition, 231
Atkinson, L. P. & Hall, J. R., Methane distribution and production in the Georgia Salt Marsh, 677

Barataria Bay, Louisiana, nitrogen and phosphorous utilization by *Spartina alterniflora* in a salt marsh in, 59
Barnes, R. S. K., Sattelle, D. B., Everton, I. J., Nicholas, W. & Scott, D. H., Intertidal sands and interstertial fauna associated with different stages of salt-marsh development, 497
Beaulieu Estuary, S. England, behaviour of dissolved iron, manganese, and zinc in, 349
Behaviour, burrowing and floating, of the gastropod *Hydrobia ulvae*, 537
— of dissolved iron, manganese and zinc in the Beaulieu Estuary, S. England, 349
Benthic faunal assemblages off the Delmarva Peninsula, 163
— marine ecology, application of inertia methods to, 179
Benthos, optimum allocation strategies for sampling, in the New York Bight, 119
de Bhaldraithe, P., Larvae of the Dublin Bay prawn, *Nephrops norvegicus* (L.) in Galway Bay, Ireland, 225
Biota, soils and tidal water of a Georgia salt marsh, stable carbon isotope ratios in, 609
Boehm, P. D. & Quinn, J. G., The effect of dissolved organic matter in seawater on the uptake of mixed individual hydrocarbons and Number 2 fuel oil by a marine filter-feeding bivalve (*Mercenaria mercenaria*), 93
Bokuniewicz, H. J., Gebert, J. & Gordon, G. B., Sediment mass balance of a large estuary, Long Island Sound, 523
Book reviews, 113, 355, 479
Boundary front in the summer regime of the Celtic Sea, 71
Boyden, C. R. *see* Little, C., 545
Brown shrimp (*Crangon crangon*) in the Lancashire and Western Sea Fisheries district, prediction of fluctuations in the landings of, 567
Buller, A. T. & Green, C. D., The role of organic detritus in the formation of distinctive sandy tidal flat sedimentary structures, Tay estuary, Scotland, 115
Burrell, V. G. Jr. & Van Engel, W. A., Predation by and distribution of a ctenophore, *Mnemiopsis leidyi* A. Agassiz, in the York River Estuary, 235
Burrowing and floating behaviour of the gastropod *Hydrobia ulvae*, 537

Calanoid copepod in a coastal fjord, control of the biological availability of trace metals to, 255
Cammen, L. M., Macroinvertebrate colonization of *Spartina* marshes artificially established on dredge spoil, 357
Carbon, dissolved organic, from leaves of *Spartina alterniflora*, leaching and microbial utilization of, 467
— isotope ratios, stable, in the biota, soils and tidal water of a Georgia salt marsh, 609
Caribbean coral reef stations, quantitative and qualitative aspects of the zooplankton and breeding patterns of copepods at two, 589
Caridean shrimps, *Palaemon elegans* Rathke and other, their distribution and ecology, 83
Caston, V. N. D., A wind-driven near-bottom current in the North Sea, 23
Celtic and western Irish Seas, preliminary study of the distribution of chlorophyll *a* in the vicinity of fronts in, 617
— Sea, a boundary front in the summer regime of, 71
Chardy, P., Glemarec, M. & Laurec, A., Application of inertia methods to benthic marine ecology: practical implications of the basic options, 179
Chatwin, P. C., Some remarks on the maintenance of the salinity distribution in estuaries, 555
Chipurupalle stream, east coast of India, recent foraminifera of, 291

Chlorine reactions with seawater constituents and the inhibition of photosynthesis on natural marine phytoplankton, 147
Chlorophyll *a* in the vicinity of fronts in the Celtic and western Irish Seas, 617
CHRISTENSEN, J. P. and PACKARD, T. T., Oxygen utilization and plankton metabolism in a Washington fjord, 339
CHRISTIE, N. D., The efficiency and effectiveness of a diver-operated suction sampler on a homogeneous macrofauna, 687
Circulation and salinity in Narragansett Bay, three-dimensional numerical model of, 325
—, a seabed drifter study of near-bottom, in North Carolina shelf waters, 207
—, estuarine, two-dimensional model of, effects of altering depth and river discharge, 309
—, gravitational, in Long Island Sound, 443
Cirriformia spirabrancha, uptake of copper by, in the presence of dissolved yellow organic matter of natural origin, 585
COLLINS, B. P., Suspended material transport: Narragansett Bay area, Rhode Island, 33
COLLINS, M. B., Suspended-sediment sampling towers as used on the intertidal flats of the Wash, eastern England, 45
Control of the biological availability of trace metals to a calanoid copepod in a coastal fjord, 255
COONEY, R. T. *see* REEBURGH, W. S., 129
Copepod, calanoid, in a coastal fjord, control of the biological availability of trace metals to, 255
Copepods, breeding patterns of, at two Caribbean coral reef stations, 589
Copper, some effects of salinity on the toxicity of, to the polychaete *Nereis diversicolor*, 107
—, uptake of, by the polychaete *Cirriformia spirabrancha* in the presence of dissolved yellow organic matter of natural origin, 585
Coral reef stations, two Caribbean, quantitative and qualitative aspects of the zooplankton and breeding patterns of copepods at, 589
Crangon crangon in the Lancashire and Western Sea Fisheries District, 567
CRANSTON, R. E., Accumulation and distribution of total mercury in estuarine sediments, 695
Crustaceans, proximate and fatty acid composition of some estuarine, 215
^{14}C techniques, primary production in an estuarine environment: a comparison of *in situ* and simulated *in situ*, 575
Ctenophore, *Mnemiopsis leidyi* A. Agassiz, in the York River estuary, predation and distribution of, 235
—, *Mnemiopsis leidyi* in Narragansett Bay, distribution and abundance of, 627
Current, a wind-driven near bottom, in the southern North Sea, 23

DAME, R. F., Energy flow in an intertidal oyster population, 243
D'ANGLEJAN, B. & INGRAM, R. G., Time–depth variations in tidal flux of suspended matter in the Saint Lawrence estuary, 401
DDT as an accelerator of limb regeneration and molting in Fiddler Crabs, 461
DELAUNE, R. D. *see* PATRICK, W. H. Jr, 59
Delmarva Peninsula, benthic faunal assemblages off, 163
Deposition in upper Patuxent Estuary, Maryland, 1968–1969, 267
Diatom populations, estuarine epipelic, presence of pollutant hydrocarbons in, 417
Dissolved iron, manganese and zinc in the Beaulieu Estuary, S. England, behaviour of, 349
— organic matter in seawater, effect of, on the uptake of mixed individual hydrocarbons and Number 2 fuel oil by a marine filter-feeding bivalve (*Mercenaria mercenaria*), 93
— yellow organic matter of natural origin, uptake of copper by the polychaete *Cirriformia spirabrancha* in the presence of, 585
Distribution and abundance of the ctenophore, *Mnemiopsis leidyi* in Narragansett Bay, 627
— and accumulation of total mercury in estuary sediments, 695
— and ecology, laboratory survival of larvae of *Palaemon elegans* Rathke and other Caridean shrimps in relation to their, 83
— and production of methane in the Georgia salt marsh, 677
— of and predation by a ctenophore, *Mnemiopsis leidyi* A. Agassiz, in the York River Estuary, 235
— of chlorophyll *a* in the vicinity of fronts in the Celtic and western Irish Seas, 617
Diver-operated suction sampler, efficiency and effectiveness of, on a homogeneous macrofauna, 687

Diurnal and seasonal fluctuations of organisms in a north Florida estuary, 373
Dredge spoil, macroinvertebrate colonization of *Spartina* marshes artificially established on, 357
DRIVER, P. A., Prediction of fluctuations in the landings of brown shrimp (*Crangon crangon*) in the Lancashire and Western Sea Fisheries District, 567
Dublin Bay prawn, *Nephrops norvegicus* (L.) in Galway Bay, Ireland, 225

East Africa, tropical, the ecology of some rocky shores in, 1
Ecology, benthic marine, application of inertia methods to, 179
—, laboratory survival of larvae of *Palaemon elegans* Rathke and other Caridean shrimps in relation to their distribution and, 83
— of some rocky shores in tropical East Africa, 1
Efficiency and effectiveness of a diver-operated suction sampler on a homogeneous macrofauna, 687
EGLINTON, G. *see* THOMPSON, S., 417
Energy flow in an intertidal oyster population, 243
Epipelic diatom populations, estuarine, presence of pollutant hydrocarbons in, 417
EPPLEY, R. W., RENGER, E. H. & WILLIAMS, P. M., Chlorine reactions with seawater constituents and the inhibition of photosynthesis of natural marine phytoplankton, 147
Estuaries, some remarks on the maintenance of the salinity distribution in, 555
Estuarine circulation, two-dimensional model of, the effects of altering depth and river discharge, 309
— crustaceans, proximate and fatty acid composition of, 215
— environment, primary production in, a comparison of *in situ* and simulated *in situ* ^{14}C techniques, 575
— epipelic diatom populations, presence of pollutant hydrocarbons in, 417
— sediments, accumulation and distribution of total mercury in, 695
Estuary, a north Florida, diurnal and seasonal fluctuations of organisms in, 373
—, Beaulieu, S. England, behaviour of dissolved iron, manganese and zinc in, 349
— circulation and salinity in Narragansett Bay, three-dimensional numerical model of, 325
—, Hudson, evaluation of sewage-derived nutrients and their influence on, and New York Bight, 281
—, Long Island Sound, sediment balance of, 523
—, Patuxient, Maryland, 1968–1969, deposition in upper, 267
—, river Tees, fauna of the polluted, 653
—, Saint Lawrence, time-depth variations in tidal flux of suspended matter in, 401
—, Severn, variations in the fauna of particulate shores in, 545
—, York River, predation by and distribution of a ctenophore, *Mnemiopsis leidyi* A. Agassiz, in, 235
Evaluation of sewage-derived nutrients and their influence on the Hudson Estuary and New York Bight, 281
EVERTON, I. J. *see* BARNES, R. S. K., 497

Fatty acid, proximate and, composition of some estuarine crustaceans, 215
Fauna of the polluted river Tees estuary, 653
FESTA, J. F. & HANSEN, D. V., A two-dimensional numerical model of estuarine circulation: the effects of altering depth and river discharge, 309
Fiddler Crabs, DDT as an accelerator of limb regeneration and molting in, 461
Fjord, a Washington, oxygen utilization and plankton metabolism in, 339
—, coastal, control of the biological availability of trace metals to a calanoid copepod in, 255
—, Russell, Alaska, oceanographic conditions during 1973 in, 129
Florida estuary, diurnal and seasonal fluctuations of organisms in a north, 373
Foraminifera, recent, of Chipurupalle stream, east coast of India, 291
FRANKENBERG, D., Oxygen in a tidal river: low tide concentration correlates linearly with location, 455
Front, boundary, in the summer regime of the Celtic Sea, 71
Fronts in the Celtic and western Irish Seas, preliminary study of the distribution of chlorophyll *a* in the vicinity of, 617

Fuel oil, Number 2, effect of dissolved organic matter in seawater on the uptake of mixed individual hydrocarbons and, by a marine filter-feeding bivalve (*Mercenaria mercenaria*), 93

Gallagher, J. L., Pfeiffer, W. J. & Pomeroy, L. R., Leaching and microbial utilization of dissolved organic carbon from leaves of *Spartina alterniflora*, 467
Galway Bay, Ireland, larvae of the Dublin Bay prawn, *Nephrops norvegicus* (L.) in, 225
Gardner, W. *see* Windom, H., 579
Garside, C., Malone, T. C., Roels, O. A. & Sharfstein, B. A., An evaluation of sewage-derived nutrients and their influence on the Hudson Estuary and New York Bight, 281
Gastropod, *Hydrobia ulvae*, burrowing and floating behaviour of, 537
Gebert, J. *see* Bokuniewicz, H. J., 523
Georgia salt marsh, methane distribution and production in, 677
— — —, stable carbon isotope ratios in the biota soils and tidal water of, 609
Glemarec, M. *see* Chardy, P., 179
Gordon, G. B. *see* Bokuniewicz, H. J., 523
Gravitational circulation in Long Island Sound, 443
Gray, J. S., The fauna of the polluted river Tees estuary, 653
Green, C. D. *see* Buller, A. T., 115
Guram, N. S. *see* Milanovich, F. P., 585

Haines, E. B., Stable carbon isotope ratios in the biota soils and tidal water of a Georgia salt marsh, 609
Hall, J. R. *see* Atkinson, L. P., 677
Hansen, D. V. *see* Festa, J. F., 309
Hartnoll, R. G., The ecology of some rocky shores in tropical East Africa, 1
Head, A., Primary production in an estuarine environment: a comparison of *in situ* and simulated *in situ* ^{14}C techniques, 575
Hess, K. W., A three-dimensional numerical model of estuarine circulation and salinity in Narragansett Bay, 325
Hinchcliffe, P. R., Surf-zone water quality in Liverpool Bay, 427
Holliday, L. M. & Liss, P. S., The behaviour of dissolved iron, manganese and zinc in the Beaulieu Estuary, S. England, 349
Hruby, T., Observations of algal zonation resulting from competition, 231
Hudson Estuary and New York Bight, evaluation of sewage-derived nutrients and their influence on, 281
Hydrobia ulvae, burrowing and floating behaviour of the gastropod, 537
Hydrocarbons and Number 2 fuel oil, effect of dissolved organic matter in seawater on the uptake of mixed individual, by a marine filter-feeding bivalve, 93
—, presence of pollutant, in estuarine epipelic diatom populations, 417

India, east coast of, recent foraminifera of Chirurupalle stream, 291
Inertia methods, applications of, to benthic marine ecology, 179
Ingram, R. G. *see* D'Anglejan, B., 401
Interstitial fauna, intertidal sands and, associated with different stages of salt-march development, 497
Intertidal flats of the Wash, eastern England, suspended-sediment sampling towers as used on, 45
— oyster population, energy flow in, 243
— sands and interstitial fauna associated with different stages of salt-marsh development, 497
Irish Sea, western and Celtic Sea, preliminary study of the distribution of chlorophyll *a* in the vicinity of fronts in, 617
Iron, manganese and zinc in the Beaulieu Estuary, S. England, behaviour of dissolved, 349

Jones, L. H., Jones, N. V. & Radlett, A. J., Some effects of salinity on the toxicity of copper to the polychaete *Nereis diversicolor*, 107
Jones, N. V. *see* Jones, L. H., 107

Kain, J. M. *see* Prentice, S. A., 65
Kinner, P. *see* Maurer, D., 163

Korgen, B. J. *see* Schumacher, J. D., 160, 207
Kremer, P. & Nixon, S., Distribution and abundance of the ctenophore, *Mnemiopsis leidyi* in Naragansett Bay, 627

Laboratory survival of larvae of *Palaemon elegans* Rathke and other Caridean shrimps in relation to their distribution and ecology, 83
Larvae of Dublin Bay prawn, *Nephrops norvegicus* (L.) in Galway Bay, Ireland, 225
— of *Palaemon elegans* Rathke and other Caridean shrimps, laboratory survival of, in relation to their distribution and ecology, 83
Laurec, A. *see* Chardy, P., 179
Leaching and microbial utilization of dissolved organic carbon from leaves of *Spartina alterniflora*, 467
Leathem, W. *see* Maurer, D., 163
Lewis, A. G. *see* Whitfield, P. H., 255
Little, C. & Boyden, C. R., Variations in the fauna of particulate shores in the Severn Estuary, 545
—, — & Nix, W., The burrowing and floating behaviour of the gastropod *Hydrobia ulvae*, 537
Liss, P. S. *see* Holliday, L. M., 349
Liverpool Bay, surf-zone water quality in, 427
Livingston, R. J., Diurnal and seasonal fluctuations of organisms in a north Florida estuary, 373
Long Island Sound, gravitational circulation in, 443
— — —, seasonal variation of residual drift in, 513
— — —, sediment balance of a large estuary, 523
Louisiana, nitrogen and phosphorous utilization by *Spartina alterniflora* in a salt marsh in Barataria Bay, 59

Macroinvertebrate colonization of *Spartina* marshes artificially established on dredge spoil, 357
Malone, T. C. *see* Garside, C., 281
Manganese, iron and zinc in the Beaulieu Estuary, S. England, behaviour of dissolved, 349
Mantel, L. H. *see* Weis, J. S., 461
Material transport, suspended, Narragansett Bay area, Rhode Island, 33
Maurer, D., Kinner, P., Leathem, W. & Watling, L., Benthic faunal assemblages off the Delmarva Peninsula, 163
Mercenaria mercenaria, effect of dissolved organic matter in seawater on the uptake of mixed individual hydrocarbons and Number 2 fuel oil by, 93
Mercury, accumulation and distribution of total, in estuarine sediments, 695
— in a salt-marsh ecosystem, role of methyl-mercury production in the transfer of, 579
Methane distribution and production in the Georgia salt marsh, 677
Methyl-mercury, role of, in the transfer of mercury in a salt-marsh ecosystem, 579
Milanovich, F. P., Spies, R., Guram, N. S. & Sykes, E. E., Uptake of copper by the polychaete *Cirriformia spirabrancha* in the presence of dissolved yellow organic matter of natural origin, 585
Mnemiopsis leidyi A. Agassiz, in the York River estuary, predation and distribution of a ctenophore, 235
— — in Narragansett Bay, distribution and abundance of, 627
Model, three-dimensional numerical, of estuary circulation and salinity in Narragansett Bay, 325
—, two-dimensional numerical, of estuarine circulation: the effects of altering depth and river discharge, 309
Moore, E. & Sander, F., Quantitative and qualitative aspects of the zooplankton and breeding patterns of copepods at two Caribbean coral reef stations, 589
Moore, J. W., The proximate and fatty acid composition of some estuarine crustaceans, 215
Muench, R. D. *see* Reeburgh, W. S., 129
Murphy, D. L. *see* Paskausky, D. F., 513

Narragansett Bay area Rhode Island, suspended material transport, 33
— —, distribution and abundance of the ctenophore *Mnemiopsis leidyi* in, 627

— —, three-dimensional numerical model of the estuary circulation and salinity in, 325
Near-bottom circulation, a seabed drifter study of, in North Carolina shelf waters, 207
— — current, wind-driven, in the southern North Sea, 23
Nephrops norvegicus (L.), larvae of, in Galway Bay, Ireland, 225
Nereis diversicolor, some effects of salinity on the toxicity of copper to the polychaete, 107
New York Bight, evaluation of sewage-derived nutrients and their influence on the Hudson Estuary and, 281
— — —, optimum allocation strategies for sampling benthos in, 119
NICHOLAS, W. *see* BARNES, R. S. K., 497
NIERING, W. A. *see* STEEVER, E. Z., 473
Nitrogen and phosphorous utilization by *Spartina alterniflora* in a salt marsh in Barataria Bay, Louisiana, 59
NIXON, S. *see* KREMER, P., 627
NIX, W. *see* LITTLE, C., 537
North Carolina shelf waters, a seabed drifter study of near-bottom circulation in, 207
North Sea, a wind-driven near bottom current in the southern, 23
Numerical analysis of subtidal communities on rocky shores, 65
Nutrients, evaluation of sewage-derived, and their influence on the Hudson Estuary and New York Bight, 281

Oeanographic conditions during 1973 in Russell Fjord, Alaska, 129
Optimum allocation strategies for sampling benthos in the New York Bight, 119
Organic carbon, dissolved, from leaves of *Spartina alterniflora*, leaching and microbial utilization of, 467
— detritus, role of, in the formation of distinctive sandy tidal flat sedimentary structures, Tay estuary, Scotland, 115
— matter, dissolved yellow, uptake of copper by the polychaete *Cirriformia spirabrancha* in the presence of, 585
— matter, effect of dissolved, in seawater on the uptake of mixed individual hydrocarbons and Number 2 fuel oil by a marine filter-feeding bivalve (*Mercenaria mercenaria*), 93
Oxygen in a tidal river: low tide concentration correlates linearly with location, 455
— utilization and plankton metabolism in a Washington fjord, 339
Oyster population, energy flow in an intertidal, 243

PACKARD, T. T. *see* CHRISTENSEN, J. P., 339
Palaemon elegans Rathke and other Caridea shrimps in relation to their distribution and ecology, laboratory survival of larvae of, 83
Particulate shores in the Severn Estuary, variations in the fauna of, 545
PASKAUSKY, D. F. & MURPHY, D. L., Seasonal variation of residual drift in Long Island Sound, 513
PATRICH, W. H. Jr & DELAUNE, R. D., Nitrogen and phosphorous utilization by *Spartina alterniflora* in a salt marsh in Barataria Bay, Louisiana, 59
Patuxent Estuary, Maryland, 1968–1969, deposition in upper, 255
PFEIFFER, W. J. *see* GALLAGHER, L. J., 467
Phosphorous, nitrogen and, utilization by *Spartina alterniflora* in a salt marsh in Barataria Bay, Louisiana, 59
Photosynthesis of natural marine phytoplankton, chlorine reactions with seawater constituents and the inhibition of, 147
Phytoplankton, natural marine, chlorine reactions with seawater constituents and the inhibition of photosynthesis of, 147
PIERCE, J. W. *see* ROBERTS, W. P., 267
PIKANOWSKI, R. A. *see* SAILA, S. B., 119
Plankton metabolism in a Washington fjord, oxygen utilization and, 339
Pollutant hydrocarbons, presence of, in estuarine epipelic diatom populations, 417
Polluted river Tees estuary, fauna of, 653
—, tropical embayment, zooplankton populations in, 481
Polychaete *Cirriformia spirabrancha*, uptake of copper by, 579
POMEROY, L. R. *see* GALLAGHER, J. L., 467

Predation by and distribution of a ctenophore, *Mnemiopsis leidyi* A. Agassiz, in the York River estuary, 235
PRENTICE, S. A. & KAIN, J. M., Numerical analysis of subtidal communities on rocky shores, 65
Primary production in an estuarine environment: a comparison of *in situ* and simulated *in situ* ^{14}C techniques, 575
Proximate and fatty acid composition of some estuarine crustaceans, 215

Quantitative and qualitative aspects of the zooplankton and breeding patterns of copepods at two Caribbean coral reef stations, 589
QUINN, J. G. *see* BOEHM, P. D., 93

RADLETT, A. J. *see* JONES, L. H., 107
RAO, M. S. *see* RAO, T. V., 291
RAO, T. V. & RAO, M. S., Recent foraminifera of Chipurupalle stream, east coast of India, 291
REEBURGH, W. S., MUENCH, R. D. & COONEY, R. T., Oceanographic conditions during 1973 in Russell Fjord, Alaska, 129
RENGER, E. H. *see* EPPLE, R. W., 147
Residual drift in Long Island Sound, seasonal variation of, 513
Rhode Island, Narragansett Bay area, suspended-sediment transport, 33
River discharge, two dimensional model of estuarine circulation: effects of altering depth and, 309
ROBERTS, W. P. & PIERCE, J. W., Deposition in upper Patuxent Estuary, Maryland, 1968–1969, 267
ROCHANABURANON, T. & WILLIAMSON, D. I., Laboratory survival of larvae of *Palaemon elegans* Rathke and other Caridean shrimps in relation to their distribution and ecology, 83
Rocky shores in tropical East Africa, ecology of, 1
— —, numerical analysis of subtidal communities on, 65
ROELS, O. S. *see* GARSIDE, C., 281
Russell Fjord, Alaska, oceanographic conditions during 1973 in, 129

SAILA, S. B., PIKANOWSKI, R. A. & VAUGHAN, D. S., Optimum allocation strategies for sampling benthos in the New York Bight, 119
Saint Lawrence estuary, time–depth variations in tidal flux of suspended matter in, 401
Salinity distribution in estuaries, some remarks on the maintenance of, 555
— in Narragansett Bay, three-dimensional numerical model of the estuary circulation and, 325
—, some effects of, on the toxicity of copper to the polychaete *Nereis diversicolor*, 107
Salt-marsh development, intertidal sands and interstitial fauna associated with different stages of, 497
— — ecosystem, role of methyl-mercury production in the transfer of mercury in, 579
— —, Georgia, methane distribution and production in, 677
— —, Georgia, stable carbon isotope ratios in the biota soils and tidal water of, 609
— — in Barataria Bay, Louisiana, nitrogen and phosphorous utilization by *Spartina alterniflora* in, 59
Sampling towers, suspended-sediment, as used on the intertidal flats of the Wash, eastern England, 45
SANDER, F. *see* MOORE, E., 589
SATTELLE, D. B. *see* BARNES, R. S. K., 497
SAVIDGE, G., A preliminary study of the distribution of chlorophyll *a* in the vicinity of fronts in the Celtic and western Irish Seas, 617
SCHUMACHER, J. D. & KORGEN, B. J., A seabed drifter study of near-bottom circulation in North Carolina shelf waters, 207
SCOTT, D. H. *see* BARNES, R. S. K., 497
Seabed drifter study of near-bottom circulation in North Carolina shelf waters, 207
Seasonal fluctuations of organisms in a north Florida estuary, diurnal and, 373
— variation of residual drift in Long Island Sound, 513
Sedimentary structures, role of organic detritus in the formation of sandy tidal flat, 115

Sediment mass balance of a large estuary, Long Island Sound, 523
Sediments, estuarine, accumulation and distribution of total mercury in, 695
Severn Estuary, variations in the fauna of particulate shores in, 545
Sewage-derived nutrients, evaluation of, and their influence on the Hudson Estuary and New York Bight, 281
SHARFSTEIN, B. A. *see* GARSIDE, C., 281
Shores, particulate, variations in the fauna of, in the Severn estuary, 545
— —, ecology of, in tropical East Africa, 1
—, rocky, numerical analysis of subtidal communities on, 65
SIMPSON, J. H., A boundary front in the summer regime of the Celtic Sea, 71
SMITH, D. J. *see* VINCENT, C. E., 641
Southampton Water, measurement of waves in, and their variation with the velocity of the tidal current, 641
Spartina alterniflora in a salt marsh in Barataria Bay, Louisiana, nitrogen and phosphorous utilization by, 59
— —, leaching and microbial utilization of dissolved organic carbon from leaves of, 467
— —, tidal energy subsidy and standing crop production of, 473
Spartina marshes artificially established on dredge spoil, macroinvertebrate colonization of, 537
SPIES, R. *see* MILANOVICH, F. P., 585
Stable carbon isotope ratios in the biota soils and tidal water of a Georgia salt marsh, 609
Standing crop production, tidal energy subsidy, of *Spartina alterniflora*, 473
STEEVER, E. Z., WARREN, R. S. & NIERING, W. A., Tidal energy subsidy and standing crop production of *Spartina alterniflora*, 473
STEPHENS, J. *see* WINDON, H., 579
Subtidal communities on rocky shores, numerical analysis of, 65
Suction sampler, diver-operated, efficiency and effectiveness of, on a homogeneous macrofauna, 687
Surf-zone water quality in Liverpool Bay, 427
Suspended material transport: Narragansett Bay area, Rhode Island, 33
— matter in the Saint Lawrence estuary, time–depth variations in tidal flux of, 401
— -sediment sampling towers as used on the intertidal flats of the Wash, eastern England, 45
SYKES, E. E. *see* MILANOVICH, F. P., 585

Tay estuary, Scotland, role of organic detritus in the formation of distinctive sandy tidal flat sedimentary structures, 115
TAYLOR, F. *see* WINDON, H., 579
Tees estuary, fauna of the polluted, 653
THOMPSON, S. & EGLINTON, G., The presence of pollutant hydrocarbons in estuarine epipelic diatom populations, 417
Three-dimensional numerical model of estuary circulation and salinity in Narragansett Bay, 325
Tidal current, velocity of, measurement of waves in Southampton Water and their variation with, 641
— energy subsidy and standing crop production of *Spartina alterniflora*, 473
— flux of suspended matter in the Saint Lawrence estuary, time–depth variations in, 401
— river, oxygen in, 455
— water and biota soils of a Georgia salt marsh, stable carbon isotope ratios in, 609
Time–depth variations in tidal flux of suspended matter in the Saint Lawrence estuary, 401
Trace metals, control of the biological availability of, to a calanoid copepod in a coastal fjord, 255
Tropical East Africa, the ecology of some rocky shore in, 1
Two-dimensional numerical model of estuarine circulation: the effects of altering depth and river discharge, 309

Uptake of copper by the polychaete *Cirriformia spirabrancha* in the presence of dissolved yellow organic matter of natural origin, 585

VAN ENGEL, W. A. *see* BURRELL, V. G. Jr, 235
Variations in the fauna of particulate shores in the Severn Estuary, 545

VAUGHAN, D. S. *see* SAILA, S. B., 119
VINCENT, C. E. & SMITH, D. J., Measurements of waves in Southampton Water and their variation with the velocity of the tidal current, 641

WARREN, R. S. *see* STEEVER, E. Z., 473
Wash, eastern England, suspended-sediment sampling towers as used on, 45
Washington fjord, oxygen utilization and plankton metabolism in a, 325
WATLING, L. *see* MAURER, D., 163
Waves, measurement of, in Southampton Water and their variation with the velocity of the tidal current, 641
WEIS, J. S. & MANTEL, L. H., DDT as an accelerator of limb regeneration and molting in Fiddler Crabs, 461
WHITFIELD, P. H. & LEWIS, A. G., Control of the biological availability of trace metals, to a calanoid copepod in a coastal fjord, 255
WILLIAMSON, D. I. *see* ROCHANABURANON, T., 83
WILLIAMS, P. M. *see* EPPLEY, R. W., 147
WILSON, R. E., Gravitational circulation in Long Island Sound, 443
Wind-driven near-bottom current in the southern North Sea, 23
WINDON, H., GARDNER, W., STEPHENS, J. & TAYLOR, F., The role of methyl-mercury production in the transfer of mercury in a salt-marsh ecosystem, 579

York River estuary, predation and distribution of a ctenophore, *Mnemiopsis leidyi* A. Agassiz, in, 235
YOUNGBLUTH, M. J., Zooplankton populations in a polluted, tropical embayment, 481

Zinc, iron and manganese in the Beaulieu Estuary, S. England, behaviour of dissolved, 349
Zooplankton populations in a polluted tropical embayment, 481
— quantitative and qualitative aspects of, at two Caribbean coral reef stations, 589